Yoswit Smart Visitor Kiosk

Model: YO191-VK

Revised: 28-09-2025



The Ultimate Choice for Revolutionizing Visitor Management

Yoswit Visitor Kiosk specializes in crafting interactive kiosks that redefine visitor management. Featuring intuitive touch-screen technology, it offers a sleek and modern interface. Available in multiple panel sizes, they cater to diverse access needs while seamlessly blending with various architectural styles. Say goodbye to the hassles of traditional manual check-in procedures. It provides a range of advanced access options, including card tapping, QR code scanning, Octopus card usage, and facial recognition, enhancing professionalism and elevating your brand image. These touchless check-in features, combined with pre-registration capabilities, streamline the entry process, delivering a convenient, faster, and safer experience for visitors. Embrace the future of visitor management with Yoswit Visitor Kiosk, where efficiency meets security.

Product Presentation



Key Features and Benefits

- Interactive Touch-Screen for Effortless Navigation
- Multiple Panel Sizes Available
- Advanced Access Options for Versatile Check-In
- Touchless Check-In to Reduce Man power
- Pre-Registration Capabilities for Streamlined Entry

Product Specifications



Specifications:



General Specifications	
Product Name	Yoswit Smart Visitor Kiosk
Model	YO191-VK
Revision	V1.0
Compliance	CE, FCC, RoHS
Manufacturer	Designed by Yoswit in Hong Kong, China / Assembled in Guangdong, China
Warranty	Two Year Limited Warranty (*Details available on the Product Warranty and Limitations of this datasheet)

Display Parameters	
Size	27 inch \ 43 inch \ 55 inch
Type	Colorful TFT LCD
Resolution	1980*1080
Screen Ratio	16:9
Pixel Arrangement	RGB Vertical Stripe
Operating Temperature	-10°C to 65°C
Operating Humidity	0%-95% RH, Non-Condensing

Card Sending and Receiving Parameters	
Working Power Supply	24V DC±5%
Operating Temperature	0°C to 50°C
Operating Humidity	30%-90% RH, Non-Condensing
Communication Interface	RS232 Serial Port
Move to the Card Position	Multiple Stop and Stop Position Controls
Supported Card Types	Contactless Cards That Support Reading and Writing ISO14443A or ISO15693 (Optional)
Support Card Size	The Card is 85±0.5mm in Length, 54±0.5mm in Width and 0.7-1.3mm in Thickness
Container Capacity	Based on a Card Thickness of 0.76mm, the Standard Capacity is 50 Cards, and it Supports Customization up to 100, 150, and 200 Cards (Optional).

Product Warranty and Limitations

Yoswit brand products guarantee for a period of 2 years warranty from the date of purchase. During the warranty period and in the event that a defective product is identified (non-human factors), Yoswit will provide free maintenance. Damage beyond the warranty period or caused by improper use is not covered within the warranty, Yoswit will not bear any responsibility for repair, and will still provide users with a lifelong maintenance of paid services. If the products need to be repaired or returned to our company, an appropriate fee should be charged based on specific situation to cover the cost of replacement. Regardless of the warranty status, all shipping costs are borne by users.

LINCOGN TECHNOLOGY CO. LIMITED

Address: Room 202, 2/F, Building No. 19 West Science and Technology Avenue, Science Park, Shatin, N.T., Hong Kong
info@yoswit.com | Tel: (852) 3996 9396 | Fax: (852) 3119 8778 | www.yoswit.com